

Receiving Report

Date:

B-01-30

Batch No:

124444

Supplier:

ThyssenKrupp

Dart P/O:

18894

Packing Slip:

Yes

☒ No

Release Note Attached:

Yes

☒ No

N/A

Invoice:

Yes

☒ No

Waybill Attached:

Yes

Yes

☒ No

N/A

Receipt:

Cash

☒ Cr

Shipment Complete:

Yes

Yes

☒ No

N/A

QC6 Inspection

2-09 13/01/30

Work Order

N/A

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M7075	11601-750x SC1500 Bar	2.04	0		2.04	

Initials of receiver (if shipment OK) Level 12

SP

Production/Admin:

Date

B-01-30

Location

Received/Costing

Initial

SP

Page 1 of 1

All amounts are calculated in domestic currency.

All Line Item Types

All Currencies

Grouped by Vendor ID

Purchase Order ID/ Carr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-COR001 Thyssenkrupp Materials CA Ltd											
P018894	3		M7075T6B1.500X8.5 f 00		1/30/2013	1/30/2013	8.0000	\$94.01	0.0000	0	\$752.07
CAD	No		7075-T6 BAR 1.500' f X 8.500" 124444		8.0000	DES102		\$752.07	0.0000	0	
	4		M7075T6B6.000X6.0 f 00		1/30/2013	1/30/2013	8.0000	\$230.54	0.0000	0	\$1,844.36
	No		7075-T6 BAR 6.000' f X 6.000" 124444		8.0000	DES102		\$1,844.36	0.0000	0	
Total Received Quantity:										16.0000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$2,596.42	
Total Balance Due Quantity:										0.0000	

B I L L O F L A D I N G

No: PEC 805377
Ship Date 29Jan13 at 14:18 From PFWShip From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-529698- 1 Your PO # 18894
Part # QQ-A-250/12 Rel #ALUMINUM PLATE 7075-T651
1.50" THICK X 8.5000" X 96.0000"Heat Number Tag No
717126 145611Quantity PCS MTR Wt LBS
5.67 SFT 1 1312) Our Order PEC-529698- 2 Your PO # 18894
Part # QQ-A-250/12 Rel #ALUMINUM PLATE 7075-T651
6.00" THICK X 6.0000" X 96.0000"Heat Number Tag No
337791 145612Quantity PCS MTR Wt LBS
4.00 SFT 1 363TOTAL: Tags PCS LBS
2 2 494

ADD ON TO 529600 & 529599 SUR-CHARGE ADDED

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

TOTAL 2 SKIDS G.W. 403 LBS

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST #140223934 RT0001

B I L L O F L A D I N G

No: PEC 805377

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 29Jan13 at 14:18 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0-0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

ITEM (1) SKID
ITEM (2) SKID

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER



INSPECTION CERTIFICATE № 12.36558

EN 10204 - 3.1



Certified by Russian Register

Consigner: KAMENSK URALSKY METALLURGICAL WORKS JOINT STOCK COMPANY
5, Zavodskaya Str., Kamensk Uralsky, Sverdlovsk Region, 623405, Russia Tel: (3439) 39 52 22 Fax: (3439) 39 50 68

Consignee: Thyssen Krupp Materials NA	Quantity: 4
Contract number: N14002-S 5400160550-R01 Article number: ALFLR00998	Net Weight, kg.: 2520
	Specification №: N14002 Lot №: 1 Package №: 813915

Description of Goods: Plates	Requirements on the Products:
Grade of Product	Material conforms to quality of alloy: 7075 T651
Dimensions, inch/mm 1.53"X60.5"X144.5" 38.860X1536.7X3670.3	Product conforms to all requirements of: ASTM-B209-10, AMS-QQ-A250/12AMS4045K, This product conforms to European Union RoHS Directive 2002/95/EC

Mechanical Properties										
The Condition of Tested Standards	Lot Number	Cast Number	Number of Tests	Tensile Strength		Yield Strength (0.2% offset)		Elongation, %		Hardness, HB
				ksi		ksi				
				min	max	min	max	min	max	
Required				77.0	-	67.0	-	6.0	-	
-	717126	12-1635	4	82.8	84.7	75.5	77.0	12.5	13.0	-

Chemical Composition, %										
Element	Silicon Si	Iron Fe	Copper Cu	Manganese Mn	Magnesium Mg	Chromium Cr	Nickel Ni	Zinc Zn	Titanium Ti	Zirconium Zr
Required	0.4	0.5	1.2-2.0	0.3	2.1-2.9	0.18-0.28	-	5.1-6.1	0.2	-
Contents	0.06	0.18	1.2	0.04	2.4	0.18	-	6.8	0.07	-
Element	Ti+Zr	Na	Tin Sn	Bismuth Bi	Plumbum Pb	Mn+Cr	Cs	Other Elements		Al
								Each	Total	
Required	-	-	-	-	-	-	-	0.05	0.15	remainder
Contents	-	-	-	-	-	-	-	0.05	0.15	remainder

Other Tests							Mercury - Free "Russia is country of melt and manufacture"
Method	Macro-structure	Micro-structure	UT	Electro-conductivity	SCF	Contents H2 of metals cm3/100gr	
Result:	-	-	-	-	-	0.23	

On behalf:

OAO KUMZ

Date:


29.11.12

Inspector:

G.A.Ostanina

Inspection Department Engineer

N.V. Alekhina



ThyssenKrupp Materials N.A Inc.
Copper and Brass Sales Division sold to:
Customer:

P.O #: DEC 245202

CBS Delivery #: 2402273785

QTY: 1 pc

By: Sm

Date: 11/26/13



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

46544

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR H43202 1800 INCLUSION SERIAL#: 20121231H43202 PAGE 1 OF 4

CUSTOMER PURCHASE ORDER NO. & ITEM				Constellium ORDER NO.	
5400161730				110-512803	
ALLOY	CLAD.	TEMPER	GAUGE	WIDTH	LENGTH
7075	00	T651	6.00000	60.500	144.500
ITEM ORDERED					
MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL					
CUSTOMER SPECIFICATION					
AMS-QQ-A-250/12					
PART NUMBER		B/L NUMBER		DATE SHIPPED	
ALFLR00645		H43200		12/31/12	
WEIGHT SHIPPED		NO. OF PIECES		GOVT. CONTRACT NO.	
10,950		2			

CERTIFICATION

"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

LOT NUMBER	TEST DIRECTION	NO. OF TESTS	ULTIMATE STRENGTH K.S.I.		YIELD STRENGTH K.S.I.		ELONGATION %		COND % IACS										
			MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN	MAX									
337791	LT	2	***** T651 65.3	68.8	51.0	53.9	***** 12.5	12.5											
All material contained in lot 337791 was cast and manufactured in the USA.																			

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS																			

ROPERTIES ARE MN ULT 60-MN YLD=43; MN ELONG.=5% AMS 4045K AND ASTM B209-10																			
<div>ThyssenKrupp Materials N.A Inc. Copper and Brass Sales Division sold to: Customer: P.O#: PEC 245302 CBS Delivery #: 240 2273831 QTY: 1 pc By: SN Date: 1/26/13</div>																			
CHEM COMP	ALLOY	SILICON		IRON		COPPER		MANGANESE		MAGNESIUM		CHROMIUM		ZINC		TITANIUM		OTHERS	
		MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	TOTAL MAX.
	SEE ACTUAL CHEMICAL COMPOSITION																		
	ALUMINUM REMAINDER																		

P-860-155D (08/11)



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

46544

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR H43202 1800 INCLUSION SERIAL#: 20121231H43202 PAGE 2 OF 4

CUSTOMER PURCHASE ORDER NO. & ITEM				Constellium ORDER NO.			
5400161730				110-512803			
ALLOY	CLAD.	TEMPER	GAUGE	WIDTH	LENGTH		
7075	00	T651	6.00000	60.500	144.500		
ITEM ORDERED							
MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL							
CUSTOMER SPECIFICATION							
AMS-QQ-A-250/12							
PART NUMBER			B/L NUMBER		DATE SHIPPED		
ALFLR00645			H43200		12/31/12		
WEIGHT SHIPPED		NO. OF PIECES		GOVT. CONTRACT NO.			
10,950		2					

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South, Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

LOT NUMBER	TEST DIRECTION	NO. OF TESTS	ULTIMATE STRENGTH K.S.I.		YIELD STRENGTH K.S.I.		ELONGATION %		COND % IACS											
			MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN	MAX										
			THIS MATERIAL IS OVER 4" IN THICKNESS AND THEREFORE EXCEEDS THE SIZE RANGE OF ALL APPLICABLE SPECIFICATIONS. SINCE THE MAJORITY OF METAL IS SUPPLIED WITHIN THE SIZE RANGE OF APPLICABLE SPECIFICATIONS, OUR CONCERN IS THAT MATERIAL MAY BE INADVERTENTLY USED IN APPLICATIONS WHICH REQUIRE CHARACTERISTICS EXPECTED OF THICKNESS 4" AND BELOW. FOR THE MATERIAL DESCRIBED, STRENGTH AND OTHER CHARACTERISTICS CAN BE EXPECTED TO DIFFER FROM THOSE TYPICAL OF MATERIAL IN THE NORMAL SIZE RANGE. THIS MATERIAL SHOULD NOT BE USED IN APPLICATIONS WHICH REQUIRE CHARACTERISTICS EXPECTED IN THE NORMAL SIZE RANGE; THEREFORE YOUR CAREFUL CONTROL IS NECESSARY TO PREVENT MISAPPLICATION.																	
CHEM COMP	ALLOY	SILICON		IRON		COPPER		MANGANESE		MAGNESIUM		CHROMIUM		ZINC		TITANIUM		OTHERS		
		MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	TOTAL MAX.	
	SEE ACTUAL CHEMICAL COMPOSITION																			
	ALUMINUM REMAINDER																			

P-860-155D (06/11)



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

46544

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR H43202 1800 INCLUSION SERIAL#: 20121231H43202 PAGE 3 OF 4

CUSTOMER PURCHASE ORDER NO. & ITEM		Constellium ORDER NO.			
5400161730		110-512803			
ALLOY	CLAD.	TEMPER	GAUGE	WIDTH	LENGTH
7075	00	T651	6.00000	60.500	144.500
ITEM ORDERED					
MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL					
CUSTOMER SPECIFICATION					
AMS-QQ-A-250/12					
PART NUMBER		B/L NUMBER		DATE SHIPPED	
ALFLR00645		H43200		12/31/12	
WEIGHT SHIPPED		NO. OF PIECES		GOVT. CONTRACT NO.	
10,950		2			

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South, Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

LOT NUMBER	TEST DIRECTION	NO. OF TESTS	ULTIMATE STRENGTH K.S.I.		YIELD STRENGTH K.S.I.		ELONGATION %		COND % IACS										
			MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN	MAX									
337791	C		ACTUAL CHEMICAL COMPOSITION																
			SI= 0.07	FE= 0.13	CU= 1.45	MN= 0.04	MG= 2.46												
			CR= 0.20	ZN= 5.55	TI= 0.03	ZR= 0.01													
			OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER																
CHEM COMP.	ALLOY	SILICON		IRON		COPPER		MANGANESE		MAGNESIUM		CHROMIUM		ZINC		TITANIUM		OTHERS	
		MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	TOTAL MAX.
		SEE ACTUAL CHEMICAL COMPOSITION																	
		ALUMINUM REMAINDER																	

P-860-155D (06/11)

13/01/30



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

46544

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR H43202 1800 INCLUSION SERIAL#: 20121231H43202 PAGE 4 OF 4

CUSTOMER PURCHASE ORDER NO. & ITEM		Constellium ORDER NO.			
5400161730		110-512803			
ALLOY	CLAD.	TEMPER	GUAGE	WIDTH	LENGTH
7075	00	T651	6.00000	60.500	144.500
ITEM ORDERED					
MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL					
CUSTOMER SPECIFICATION					
AMS-QQ-A-250/12					
PART NUMBER		B/L NUMBER		DATE SHIPPED	
ALFLR00645		H43200		12/31/12	
WEIGHT SHIPPED		NO. OF PIECES		GOVT. CONTRACT NO.	
10,950		2			

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South, Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

LOT NUMBER	TEST DIRECTION	NO. OF TESTS	ULTIMATE STRENGTH K.S.I.		YIELD STRENGTH K.S.I.		ELONGATION %		COND % IACS										
			MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN	MAX									
THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.																			
CHEMISTRY BY OES: ARKSPARK																			
CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT.																			
WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399.																			
WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557.																			
Mark Paperwork: ALFLR00645																			
DUNS Number: 090570149; CAGE Code: 1YW19																			
Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.																			
"END OF CERTIFICATION"																			
CHEM COMD	ALLOY	SILICON		IRON		COPPER		MANGANESE		MAGNESIUM		CHROMIUM		ZINC		TITANIUM		OTHERS	
		MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	TOTAL MAX.		
	SEE ACTUAL CHEMICAL COMPOSITION																		
	ALUMINUM REMAINDER																		

P-860-155D (06/11)



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18894**

Purchase Order Date 1/22/13

PO Print Date 1/22/13

Page Number 1 of 2

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone 905 669 9444

Vendor Fax 905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

EX-5D
2/3/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M7075T6B3.000X7.500	7075-T6 BAR 3.000" X 7.500"	1/30/13 Yes	24.08 f	Yours ppd	\$66.0299	\$1,590.22
		Special Inst: MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE					
2	M7075T6B1.750X04.500	7075-T6 BAR 1.750" X 4.500"	1/30/13 Yes	12.04 f	Yours ppd	\$58.5548	\$705.00
		Special Inst: MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187-OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE					

8813-01-28

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required **YES** NO

Change Nbr: 1

Change Date: 1/22/13



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18894

Purchase Order Date 1/22/13

PO Print Date 1/22/13

Page Number 2 of 2

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone 905 669 9444

Vendor Fax 905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

3	M7075T6B1.500X8.500	7075-T6 BAR 1.500' X 8.500"	1/30/13	✓ 8.00	Yours ppd	\$93.5312	\$748.25
---	---------------------	-----------------------------	---------	--------	-----------	-----------	----------

Yes f

Special Inst:

MATERIAL: 7075-T6 OR
T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS
4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12
CUT FROM PLATE

4	M7075T6B6.000X6.000	7075-T6 BAR 6.000' X 6.000"	1/30/13	✓ 8.00	Yours ppd	\$229.3750	\$1,835.00
---	---------------------	-----------------------------	---------	--------	-----------	------------	------------

Yes f

Special inst:

MATERIAL: 7075-T6 OR
T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS
4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12
CUT FROM PLATE

PO Total: \$4,878.47

5013-01-30

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 1/22/13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO